


# LIFE SPACE


2020



	XS	S	M	L
<b>A</b> Size				
Size in inch	17	18	20	22
Size in cm	43	46	51	56
<b>B</b> Seattube length	430	460	510	560
<b>C</b> Toptube length	579	590	600	618
<b>D</b> Seat angle	71,5°	71,5°	71,5°	71,5°
<b>E</b> Head angle	70,0°	70,0°	70,0°	70,0°
<b>F</b> Headtube length	150	160	174	190
<b>G</b> Chainstay length	474	474	474	474
<b>H</b> Wheelbase	1088	1100	1110	1128
<b>K<sup>1</sup></b> Standover height	469	468	482	479
<b>L</b> BB drop	60	60	60	60

# LIFE STYLE


2020



	Size	S	M	L	XL
<b>A</b>	Size in inch Size in cm	18 46	20 51	22 56	23,5 60
<b>B</b>	Seattube length	460	510	560	600
<b>C</b>	Toptube length	575	588	600	616
<b>D</b>	Seat angle	73,0°	73,0°	73,0°	73,0°
<b>E</b>	Head angle	71,0°	71,0°	71,0°	71,0°
<b>F</b>	Headtube length	120	137	155	174
<b>G</b>	Chainstay length	452	452	452	452
<b>H</b>	Wheelbase	1070	1084	1096	1113
<b>K<sup>1</sup></b>	Standover height	788	814	846	874
<b>K<sup>2</sup></b>	Standover height	678	680	682	-
<b>L</b>	BB drop	55	55	55	55

# LIFE TIME


2020



	XS	S	M	L
<b>A</b> Size Size in inch Size in cm	17 43	18 46	20 51	22 56
<b>B</b> Seattube length	430	460	510	560
<b>C</b> Tootube length	577	595	596	618
<b>D</b> Seat angle	71,5°	71,5°	71,5°	71,5°
<b>E</b> Head angle	70,0°	70,0°	70,0°	70,0°
<b>F</b> Headtube length	150	160	174	190
<b>G</b> Chainstay length	474	474	474	474
<b>H</b> Wheelbase	1088	1100	1110	1128
<b>K<sup>1</sup></b> Standover height	469	467	482	480
<b>L</b> BB drop	60	60	60	60

# LIFE LITE


2019



A	Size	S	M	L	XL
	Size in inch	18	20	22	23,5
	Size in cm	46	51	56	60
B	Seattube length	460	510	560	600
C	Toptube length	575	588	599	616
D	Seat angle	73,0°	73,0°	73,0°	73,0°
E	Head angle	71,0°	71,0°	71,0°	70,5°
F	Headtube length	120	137	155	174
G	Chainstay length	452	452	452	452
H	Wheelbase	1070	1084	1096	1113
K	Standover height	766	814	846	874
L	BB drop	55	55	55	55

# LIFE STYLE


2019



A	Size	S	M	L	XL
	Size in inch	18	20	22	23,5
	Size in cm	46	51	56	60
B	Seattube length	460	510	560	600
C	Toptube length	575	588	599	616
D	Seat angle	73,0°	73,0°	73,0°	73,0°
E	Head angle	71,0°	71,0°	71,0°	70,5°
F	Headtube length	120	137	155	174
G	Chainstay length	452	452	452	452
H	Wheelbase	1070	1084	1096	1113
K	Standover height	766	814	846	874
L	BB drop	55	55	55	55

# CHESTER


2018



<b>A</b>	Size in inch	18	20	22	25
	Size in cm	46	51	56	63
<b>B</b>	Top tube length	574	586	597	629
<b>C</b>	Seat angle	73,0°	73,0°	73,0°	73,0°
<b>D</b>	Head angle	71,5°	71,5°	71,5°	71,5°
<b>E</b>	Head tube length	137	155	174	210
<b>F</b>	Chainstay length	445	445	445	445
<b>G</b>	Wheelbase	1069	1073	1096	1131
<b>H</b>	Standover height	681	689	698	876
<b>I</b>	BB drop	60	60	60	60

# LIFE ACTION


2018



<b>A</b>	Size in inch	17	18	20	22
	Size in cm	43	46	51	56
<b>B</b>	Toptube length	564	575	588	599
<b>C</b>	Seat angle	73,0°	73,0°	73,0°	73,0°
<b>D</b>	Head angle	70,5°	70,5°	70,5°	70,5°
<b>E</b>	Headtube length	120	120	137	155
<b>F</b>	Chainstay length	440	440	440	440
<b>G</b>	Wheelbase	1052	1063	1077	1089
<b>H</b>	Standover height	678	675	677	678
<b>I</b>	BB drop	55	55	55	55

# LIFE TIME

2018




<b>A</b>	Size in inch Size in cm	18 46	20 51	22 56	23,5 60	25 63
<b>B</b>	Top tube length	575	588	600	616	632
<b>C</b>	Seat angle	73,0°	73,0°	73,0°	73,0°	73,0°
<b>D</b>	Head angle	70,5°	70,5°	70,5°	70,5°	70,5°
<b>E</b>	Head tube length	120	137	155	174	190
<b>F</b>	Chainstay length	452	452	452	452	452
<b>G</b>	Wheelbase	1075	1089	1101	1119	1136
<b>H</b>	Standover height	790	816	848	875	896
<b>I</b>	BB drop	55	55	55	55	55



# CHESTER


2018



<b>A</b>	Size in inch Size in cm	18 46	20 51	22 56	25 63
<b>B</b>	Toptube length	574	586	597	629
<b>C</b>	Seat angle	73,0°	73,0°	73,0°	73,0°
<b>D</b>	Head angle	71,5°	71,5°	71,5°	71,5°
<b>E</b>	Headtube length	137	155	174	210
<b>F</b>	Chainstay length	445	445	445	445
<b>G</b>	Wheelbase	1069	1073	1096	1131
<b>H</b>	Standover height	681	689	698	876
<b>I</b>	BB drop	60	60	60	60

# TREKKING ONROAD

2017



<b>A</b>	Size in inch	18	20	22	23.5	25
	Size in cm	46	51	56	60	63
<b>B</b>	Seattube length	460	510	560	600	630
<b>C</b>	Toptube length	575	588	600	616	634
<b>D</b>	Seat angle	73	73	73	73	73
<b>E</b>	Head angle	71	71	71	71	71
<b>F</b>	Headtube length	120	137	155	174	190
<b>G</b>	Chainstay length	452	452	452	452	452
<b>H</b>	Wheelbase	1070	1084	1096	1113	1131