


LIFE ACTION


2020



	XS	S	M	L	XL
A Size					
Size in inch	17	18	20	22	23,5
Size in cm	43	46	51	56	60
B Seattube length	430	460	510	560	600
C Tootube length	564	575	588	599	616
D Seat angle	73,0°	73,0°	73,0°	73,0°	73,0°
E Head angle	70,5°	70,5°	70,5°	70,5°	70,5°
F Headtube length	120	120	137	155	174
G Chainstay length	440	440	440	440	440
H Wheelbase	1052	1063	1077	1089	1106
K¹ Standover height	-	786	815	847	874
K² Standover height	678	675	677	678	-
L BB drop	55	55	55	55	55

LIFE CROSS


2020



	XS	S	M	L	XL
A Size					
Size in inch	17	18	20	22	23,5
Size in cm	43	46	51	56	60
B Seattube length	430	460	510	560	600
C Toptube length	564	575	588	599	616
D Seat angle	73,0°	73,0°	73,0°	73,0°	73,0°
E Head angle	70,5°	70,5°	70,5°	70,5°	70,5°
F Headtube length	120	120	137	155	174
G Chainstay length	440	440	440	440	440
H Wheelbase	1052	1063	1077	1089	1106
K¹ Standover height	-	786	815	847	874
K² Standover height	678	675	677	678	-
L BB drop	55	55	55	55	55

LIFE TRACK


2020



	Size	XS	S	M	L	XL
A	Size in inch	17	18	20	22	23,5
	Size in cm	43	46	51	56	60
B	Seattube length	430	460	510	560	600
C	Toptube length	564	575	588	599	616
D	Seat angle	73,0°	73,0°	73,0°	73,0°	73,0°
E	Head angle	70,5°	70,5°	70,5°	70,5°	70,5°
F	Headtube length	120	120	137	155	174
G	Chainstay length	440	440	440	440	440
H	Wheelbase	1052	1063	1077	1089	1106
K¹	Standover height	-	786	815	847	874
K²	Standover height	678	675	677	678	-
L	BB drop	55	55	55	55	55

LIFE CROSS


2019



	Size	S	M	L	XL
A	Size in inch	18	20	22	23,5
	Size in cm	46	51	56	60
B	Seattube length	460	510	560	600
C	Toptube length	575	588	599	616
D	Seat angle	73,0°	73,0°	73,0°	73,0°
E	Head angle	70,5°	70,5°	70,5°	70,5°
F	Headtube length	120	137	155	174
G	Chainstay length	440	440	440	440
H	Wheelbase	1063	1077	1089	1106
K	Standover height	786	815	847	874
L	BB drop	55	55	55	55

LADY


2018



A	Size in inch	17	18	20	22
	Size in cm	43	46	51	56
B	Top tube length	564	575	588	599
C	Seat angle	73,0°	73,0°	73,0°	73,0°
D	Head angle	70,5°	70,5°	70,5°	70,5°
E	Head tube length	120	120	137	155
F	Chainstay length	440	440	440	440
G	Wheelbase	1052	1063	1077	1089
H	Standover height	678	675	677	678
I	BB drop	55	55	55	55

MAN


2018



A	Size in inch	18	20	22	23,5	25
	Size in cm	46	51	56	60	63
B	Top tube length	575	588	599	616	633
C	Seat angle	73,0°	73,0°	73,0°	73,0°	73,0°
D	Head angle	70,5°	70,5°	70,5°	70,5°	70,5°
E	Headtube length	120	137	155	174	190
F	Chainstay length	440	440	440	440	440
G	Wheelbase	1063	1077	1089	1106	1124
H	Standover height	786	815	847	874	897
I	BB drop	55	55	55	55	55

TREKking OFFROAD

2017



A	Size in inch	17	18	20	22	23
	Size in cm	43	46	51	56	60
B	Seattube length	430	460	510	560	600
C	Toptube length	564	575	588	599	616
D	Seat angle	73	73	73	73	73
E	Head angle	70.5	70.5	70.5	70.5	70.5
F	Headtube length	120	120	137	155	174
G	Chainstay length	440	440	440	440	440
H	Wheelbase	1052	1063	1077	1089	1056